




Document type: PDS	Document No. HYDTENS-KIT-PDS	
Status: Issued	Product Data Sheet: For hydraulic tensioning kit	
Prepared by: Erik Conradi	Created Date: 19.10.17	Last Modified Date: 25.10.17
Approved by: Aksel Bråthen	Version: 1	Revision: 1



Key Features

- The kit contains all necessities to tension bolts:
- Ready to use, out of the box
- 1 complete hydraulic tensioner - M36, M42 or M48 – All other dimension available on request
- Air-hydraulic ump delivering 2275Bar.
- CIS-tagged Hose Kit with couplers
- 60Kg packed in Pelicase with wheels.
- Documentation: Certificate, User Manual, Pressure Graph etc.

Kit Design



Features

Tensioner

The standard kit has 1 tensioner for M36, M42 or M48. The tensioner is complete with Nut Rotating Socket for bot hex nuts and castellated nuts. Each tensioner comes with a tommy bar. The tensioners are fitted with a positive physical stop preventing over stroking



Pump

The kit comes with a light-weight, 2275 Bar air-hydraulic foot operated pump with gauges. The pump pressure is easy to adjust. Once it's adjusted the pump is 100% foot operated, allowing the operator to use both hands on the tensioner.



Hose Kit

A complete 5 meter high pressure hose kit with the proper couplers are provided in each tensioner kit. The hose is tagged with a CIS tag that allows monitoring of the hose lifetime.

The high pressure hose is protected by a PVC protection hose. The protection hose protects the high pressure hose from wear and tear.




Transport and storage case

Each kit is packed in a Pelicase™ 1640. The transport and storage case is shock-, dust and waterproof. If the lid is closed, It floats with all the kit content. The case is wheeled with a puller handler for easy transport.



Documents

Gauge calibration certificate for the pump and User Manuals for both the tensioner and pump is provided in each kit. A pressure graph and a drawing of the tensioner is also provided.



90° Coupling and Seal kit

A 90° coupling with swivel action and a spare seal kit for each tensioner is provided in the case



Custom setup

We can make custom setup of the kit based on customer demand. More tensioners, longer hose kits, other tensioner dimensions, manifolds etc.